

## EAST Search History

| Ref # | Hits  | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|--|---|------------------|---------|------------------|
| L1    | 5198  | (frame field) and (subframe subfield sub-frame sub-field (sub adj frame) (sub adj field)) and (gray grey intensity)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 08:44 |
| L2    | 24407 | bit and ("least significant bit" LSB) and (load weight\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 08:37 |
| L3    | 2202  | 1 and (plasma PDP)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 08:38 |
| L4    | 7853  | 345/60-68,690-692.ccls. 315/169. 1-169.4.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 14:17 |
| L5    | 10829 | NTSC and PAL and (vertical horizontal frequenc\$3)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 08:41 |
| L6    | 12816 | ("automatic power control" APC) and (level strength) and (load weight ratio)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 08:44 |
| L7    | 620   | (subframe subfield sub-frame sub-field (sub adj frame) (sub adj field)) near2 (group block portion) and (gray grey intensity)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 13:20 |
| L8    | 772   | (subframe subfield sub-frame sub-field (sub adj frame) (sub adj field)) near3 (variable range determinat\$3) and (start time position occupation suspension) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/08/08 10:46 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| L9  | 2    | ((("20020097201") or ("2002-221934") or ("2000-0016955")).PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2006/08/08 09:04 |
| L10 | 2    | ("5818419").PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2006/08/08 10:01 |
| L11 | 41   | group same 50Hz  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 10:02 |
| L12 | 2    | 3 and 11   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 10:07 |
| L13 | 9    | ((("2002358045") or ("2002180665") or ("6714250") or ("2004160527")).PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2006/08/08 10:08 |
| L14 | 2    | ("6714250").URPN.  | USPAT   | OR | ON  | 2006/08/08 10:19 |
| L15 | 5    | ("20020097201"   "4417283"   "5940142"   "6552701"   "6714250").PN.  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON  | 2006/08/08 10:30 |
| L16 | 772  | (subframe subfield sub-frame sub-field (sub adj frame) (sub adj field)) near3 (variable range determinat\$3) and (start time wait rest position occupation suspension) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 10:46 |
| L17 | 1013 | bit and LSB and weight\$3 and ((rest wait gap blank\$3 vertical) near2 (time period duration))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 14:19 |
| L18 | 21   | 1 and 3 and 17   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 11:23 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| L19 | 4    | ((("6144364") or ("6369782")).PN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2006/08/08 11:23 |
| L20 | 11   | ("5187578"   "5602559"  <br>"5940142"   "5982344"   "6034656"<br>  "6091396"   "6097358"  <br>"6100939"   "6236380"   "6323880"<br>  "6518977").PN. | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON  | 2006/08/08 12:19 |
| L21 | 416  | (subframe subfield sub-frame<br>sub-field (sub adj frame) (sub adj<br>field)) near2 (group block) and<br>(gray grey intensity)                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 14:18 |
| L22 | 291  | (subframe subfield sub-frame<br>sub-field (sub adj frame) (sub adj<br>field)) near2 (group) and (gray grey<br>intensity)                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 13:20 |
| L23 | 8423 | 345/60-68,690-692.ccls. 315/169.<br>1-169.4.ccls. 348/671,687,910.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 14:30 |
| L24 | 135  | 22 and 23   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/08/08 14:17 |
| L25 | 46   | ((subframe subfield sub-frame<br>sub-field (sub adj frame) (sub adj<br>field)) near2 (group block) and<br>(gray grey intensity)).clm.               | US-PGPUB;<br>USPAT  | OR | ON  | 2006/08/08 14:18 |
| L26 | 2    | (bit and LSB and weight\$3 and<br>((rest wait gap blank\$3 vertical)<br>near2 (time period duration))).clm.   | US-PGPUB;<br>USPAT  | OR | ON  | 2006/08/08 14:20 |
| L27 | 647  | (position location start) near2<br>(subfield subframe sub-field<br>sub-frame (sub adj (field frame))).<br>clm.                                      | US-PGPUB;<br>USPAT  | OR | ON  | 2006/08/08 14:21 |
| L28 | 7    | 25 and 27   | US-PGPUB;<br>USPAT  | OR | ON  | 2006/08/08 14:22 |

## EAST Search History

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| L29 | 41 | 23 and 27                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/08/08 14:30 |
| L30 | 42 | ("5874932").URPN.                        | USPAT   | OR | ON | 2006/08/08 15:23 |
| L31 | 39 | ("5187578").URPN.                        | USPAT   | OR | ON | 2006/08/08 15:50 |
| L32 | 11 | ("6396508").URPN.                        | USPAT   | OR | ON | 2006/08/08 15:52 |
| L33 | 5  | Jeong-Jae-seok\$.in. and (plasma<br>PDP) | USPAT   | OR | ON | 2006/08/08 15:53 |

**Inventor Name Search Result**

Your Search was:

Last Name = JEONG

First Name = JAE-SEOK

| Application#             | Patent#                 | Status | Date Filed | Title   | Inventor Name   |
|--------------------------|-------------------------|--------|------------|---|-----------------|
| <a href="#">09841175</a> | <a href="#">6411043</a> | 150    | 04/25/2001 | AC TYPE PLASMA DISPLAY PANEL HAVING IMPROVED PARTITIONS   | JEONG, JAE-SEOK |
| <a href="#">09983940</a> | <a href="#">6747615</a> | 150    | 10/26/2001 | METHOD OF DRIVING PLASMA DISPLAY PANEL INCLUDING AND-LOGIC AND LINE DUPLICATION METHODS, PLASMA DISPLAY APPARATUS PERFORMING THE DRIVING METHOD AND METHOD OF WIRING THE PLASMA DISPLAY PANEL | JEONG, JAE-SEOK |
| <a href="#">10080547</a> | <a href="#">6784617</a> | 150    | 02/25/2002 | SUBSTRATE AND PLASMA DISPLAY PANEL UTILIZING THE SAME   | JEONG, JAE-SEOK |
| <a href="#">10095471</a> | <a href="#">6744203</a> | 150    | 03/13/2002 | PLASMA DISPLAY PANEL  | JEONG, JAE-SEOK |
| <a href="#">10222909</a> | Not Issued              | 95     | 08/19/2002 | IMAGE DISPLAY METHOD AND SYSTEM FOR PLASMA DISPLAY PANEL  | JEONG, JAE-SEOK |
| <a href="#">10289587</a> | <a href="#">7057584</a> | 150    | 11/07/2002 | IMAGE DISPLAY METHOD AND SYSTEM FOR PLASMA DISPLAY PANEL  | JEONG, JAE-SEOK |
| <a href="#">10459534</a> | Not Issued              | 71     | 06/12/2003 | Apparatus and method for driving plasma display panel using adaptive waveform mechanism   | JEONG, JAE-SEOK |
| <a href="#">10781132</a> | Not Issued              | 30     | 02/17/2004 | Image display method and device for plasma display panel  | JEONG, JAE-SEOK |
| <a href="#">10840169</a> | Not Issued              | 30     | 05/06/2004 | Address data processing device and method for plasma display panel, and recording medium for storing the method   | JEONG, JAE-SEOK |
| <a href="#">10861354</a> | Not Issued              | 41     | 06/07/2004 | Method of driving plasma display panel including and-logic and line duplication methods, plasma display apparatus performing the driving method and method of wiring the plasma display panel | JEONG, JAE-SEOK |
| <a href="#">10910362</a> | Not Issued              | 30     | 08/04/2004 | Method for displaying gray scales on plasma display panel and plasma display panel driver using the method  | JEONG, JAE-SEOK |
| <a href="#">10911698</a> | Not                     | 30     | 08/05/2004 | Image displaying method and device for  | JEONG, JAE-SEOK |

|                          |            |    |            |  |                 |
|--------------------------|------------|----|------------|--|-----------------|
|                          | Issued     |    |            | plasma display panel   |                 |
| <a href="#">10930944</a> | Not Issued | 30 | 09/01/2004 | Method for controlling address power on plasma display panel and apparatus thereof | JEONG, JAE-SEOK |
| <a href="#">10930949</a> | Not Issued | 30 | 09/01/2004 | Method for controlling address power on plasma display panel and apparatus thereof | JEONG, JAE-SEOK |
| <a href="#">10948179</a> | Not Issued | 30 | 09/24/2004 | Driving method of plasma display panel and plasma display device                   | JEONG, JAE-SEOK |
| <a href="#">10974999</a> | Not Issued | 30 | 10/28/2004 | Method and apparatus for displaying an image on a plasma display panel             | JEONG, JAE-SEOK |
| <a href="#">10990144</a> | Not Issued | 30 | 11/15/2004 | Plasma display panel and driver providing gray scale representation                | JEONG, JAE-SEOK |
| <a href="#">11131294</a> | Not Issued | 30 | 05/18/2005 | Plasma display panel driving method and apparatus                                  | JEONG, JAE-SEOK |
| <a href="#">11205032</a> | Not Issued | 20 | 08/17/2005 | Plasma display and driving method thereof  | JEONG, JAE-SEOK |
| <a href="#">11257114</a> | Not Issued | 20 | 10/25/2005 | Plasma display device, power device thereof, and driving method thereof            | JEONG, JAE-SEOK |
| <a href="#">11329231</a> | Not Issued | 30 | 01/11/2006 | Plasma display device with grounding module  | JEONG, JAE-SEOK |

Inventor Search Completed: No Records to Display.

|                                 |                                    |                                       |                                       |
|---------------------------------|------------------------------------|---------------------------------------|---------------------------------------|
| <b>Search Another: Inventor</b> | <b>Last Name</b>                   | <b>First Name</b>                     | <input type="button" value="Search"/> |
|                                 | <input type="text" value="JEONG"/> | <input type="text" value="JAE-SEOK"/> |                                       |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)